


ITEM	QTY -041	P/N	DESCRIPTION
	X	D3195-041	BRACKET
1	1	D3195-1	BRACKET
2	1	D3195-5	PAD




- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3195-04X" AND BATCH NUMBER "BXXXXX" PER QSI044 METHOD 6.1
  - 7) WEIGHT: D3195-041: 0.15 lbs  
D3195-043: 0.14 lbs
  - 8) BOND PAD TO BRACKET USING 3M SCOTCH-WELD HIGH PERFORMANCE 1300/1300L (OR EQUIVALENT)






ITEM	QTY -043	P/N	DESCRIPTION
	X	D3195-043	BRACKET
1	1	D3195-3	BRACKET
2	1	D3195-7	PAD

B	- UPDATED DRAWING FORMAT. - ADDED NOTE 8, SHEET 1. - D3195-5 & D3195-7 DIMENSIONS EXTENSIVELY REVISED (B6-3, C3-3) - REF: PAR11-130	RP	12.04.13
A	NEW ISSUE	CP	03.06.23
REV.	DESCRIPTION	BY	DATE
DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	A.P.	DRAWING NO.	REV. B
MFG. APPR.	E.P.	D3195	SHEET 1 OF 3
APPROVED	W.D.	TITLE	SCALE
DE APPR.	W.D.	BRACKET	NTS
DATE	12.04.13	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED  
2012-04-30



**D3195-1 BRACKET**




**D3195-3 BRACKET**

RELEASED  
2012-04-30

- NOTES:**
- 1) MATERIAL: 6061-T6/T651 PER QQ-A-200/8 OR QQ-A-225/8 OR ASTM B211 OR ASTM B221  
REF. DART SPEC. M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: D3195-1 0.15 lbs  
D3195-3 0.14 lbs
  - 8) ENGRAVE DART LOGO AS SHOWN USING 0.28 HIGH X 0.005 DEEP LETTERING (TYPICAL BOTH SIDES)

DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	A.P.	DRAWING NO. <b>D3195</b>	REV. B
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE <b>BRACKET</b>	SCALE NTS
DE APPR.		<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DATE	12.04.13		



**D3195-5 PAD**

**D3195-7 PAD**

RELEASED  
2012-04-30

- NOTES:
- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/8" THICK, 60 DUROMETER (REF DART SPEC M-NEO60-S.125)
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: LESS THAN 0.01 lbs

DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	A.P.	DRAWING NO.	REV. B
MFG. APPR.	E	D3195	SHEET 3 OF 3
APPROVED	W.P.	TITLE	SCALE
DE APPR.	H	BRACKET	NTS
DATE	12.04.13	<small> COPYRIGHT © 2003 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. </small>	